

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



2/206




FIG. 1B1





FIG. 165



20/206








FIG. 11: ZA
Prior to object illumination



44/206



54/206

Fifth
Fourth Generalized Method of
Reducing Speckle-Noise Patterns
at Image Detection Array
of IR IFD Subsystem

(TIME)




FIG. 1123



55/206




FIG. 1I24A



63/206






FIG 1M4



1D

107/206





125/206






FIG 3J2









FIG. 5B3

70A






FIG. 6B3






FIG. 6E3

169 / 200

1-D CCD SCANNER EMBODIMENT




FIG. 9



179/ 206

PLIIM

PLLIM-BASED PACKAGE IDENTIFICATION AND DIMENSIONING (PID) SYSTEM





FIG. 14



~~Fig. 33C~~ Figs. 33C1 and 33C2

202/206




FIG. 34C
 FIGS 34C1 and 34C2

600